ELSEVIER

Palaeogeography, Palaeoclimatology, Palaeoecology 154 (1999) 381–382

PALAEO

Author Index Volume 154, 1999

Adatte, T., see Pardo, A. 154 (1999) 247
An, Z., see Xiao, J. 154 (1999) 179
An, Z., see Lu, H. 154 (1999) 237

Balson, P.S., see Hickson, J.A. 154 (1999) 325
Berry, W.B.N., see Bratton, J.F. 154 (1999) 275
Bjerreskov, M., see Koren', T. 154 (1999) 3
Bratton, J.F., W.B.N. Berry and J.R. Morrow, Anoxia pre-dates Frasnian–Famennian boundary mass extinction horizon in the Great Basin, USA 154 (1999) 275

Churcher, C.S., M.R. Kleindienst and H.P. Schwarcz, Faunal remains from a Middle Pleistocene lacustrine marl in Dakhleh Oasis, Egypt: palaeoenvironmental reconstructions 154 (1999) 301

Dinarès-Turell, J., F. Ortí, E. Playà and L. Rosell, Palaeomagnetic chronology of the evaporitic sedimentation in the Neogene Fortuna Basin (SE Spain): early restriction preceding the 'Messinian Salinity Crisis' 154 (1999) 161
Dodson, J., see Lu, H. 154 (1999) 237

Figueiral, I., see Lücke, A. 154 (1999) 339

Håkansson, E. and E. Thomsen, Benthic extinction and recovery patterns at the K/T boundary in shallow water carbonates, Denmark 154 (1999) 67
Harries, P.J. and C.T.S. Little, The early Toarcian (Early Jurassic) and the Cenomanian–Turonian (Late Cretaceous) mass extinctions: similarities and contrasts 154 (1999) 39
Heaton, T.H.E., see Hickson, J.A. 154 (1999) 325
Heinberg, C., Lower Danian bivalves, Stevns Klint, Denmark: continuity across the K/T boundary 154 (1999) 87
Helle, G., see Lücke, A. 154 (1999) 339
Hickson, J.A., A.L.A. Johnson, T.H.E. Heaton and P.S. Balson, The shell of the Queen Scallop *Aequipecten opercularis* (L.) as a promising tool for palaeoenvironmental reconstruction: evidence and reasons for equilibrium stable-isotope incorporation 154 (1999) 325

Johnson, A.L.A., see Hickson, J.A. 154 (1999) 325
Jones, T.P., see Lücke, A. 154 (1999) 339

Keller, G., see Pardo, A. 154 (1999) 247
Kennish, M.J. and R.A. Lutz, Calcium carbonate dissolution rates in deep-sea bivalve shells on the East Pacific Rise at 21°N: results of an 8-year in-situ experiment 154 (1999) 293
Kim, K.H., T. Tanaka, T. Nakamura, K. Nagao, J.S. Youn, K.R. Kim and M.Y. Yun, Palaeoclimatic and chronostratigraphic interpretations from strontium, carbon and oxygen isotopic ratios in molluscan fossils of Quaternary Seoguipo and Shinyangri Formations, Cheju Island, Korea 154 (1999) 219
Kim, K.R., see Kim, K.H. 154 (1999) 219
Kleindienst, M.R., see Churcher, C.S. 154 (1999) 301

Koren', T. and M. Bjerreskov, The generative phase and the first radiation event in the Early Silurian monograptid history 154 (1999) 3
Kwiek, P.B. and A.C. Ravelo, Pacific Ocean intermediate and deep water circulation during the Pliocene 154 (1999) 191

Little, C.T.S., see Harries, P.J. 154 (1999) 39
Liu, X., see Lu, H. 154 (1999) 237
Lu, H., X. Liu, F. Zhang, Z. An and J. Dodson, Astronomical calibration of loess–paleosol deposits at Luochuan, central Chinese Loess Plateau 154 (1999) 237
Lücke, A., G. Helle, G.H. Schleser, I. Figueiral, V. Mosbrugger, T.P. Jones and N.P. Rowe, Environmental history of the German Lower Rhine Embayment during the Middle Miocene as reflected by carbon isotopes in brown coal 154 (1999) 339
Lutz, R.A., see Kennish, M.J. 154 (1999) 293

Morrow, J.R., see Bratton, J.F. 154 (1999) 275
Mosbrugger, V., see Lücke, A. 154 (1999) 339
Mutterlose, J. and A. Ruffell, Milankovitch-scale palaeoclimate changes in pale–dark bedding rhythms from the Early Cretaceous (Hauterivian and Barremian) of eastern England and northern Germany 154 (1999) 133

Nagao, K., see Kim, K.H. 154 (1999) 219
Nakamura, T., see Kim, K.H. 154 (1999) 219

Oberhänsli, H., see Pardo, A. 154 (1999) 247
Ortí, F., see Dinarès-Turell, J. 154 (1999) 161

Pardo, A., T. Adatte, G. Keller and H. Oberhänsli, Paleoenvironmental changes across the Cretaceous–Tertiary boundary at Koshak, Kazakhstan, based on planktic foraminifera and clay mineralogy 154 (1999) 247
Playà, E., see Dinarès-Turell, J. 154 (1999) 161
Poty, E., Famennian and Tournaisian recoveries of shallow water Rugosa following late Frasnian and late Strunian major crises, southern Belgium and surrounding areas, Hunan (South China) and the Omolon region (NE Siberia) 154 (1999) 11

Racki, G., Silica-secreting biota and mass extinctions: survival patterns and processes 154 (1999) 107
Ravelo, A.C., see Kwiek, P.B. 154 (1999) 191
Rosell, L., see Dinarès-Turell, J. 154 (1999) 161
Rowe, N.P., see Lücke, A. 154 (1999) 339
Ruffell, A., see Mutterlose, J. 154 (1999) 133

Sato, S., Temporal change of life-history traits in fossil bivalves: an example of *Phacosoma japonicum* from the Pleistocene of Japan 154 (1999) 313
Schleser, G.H., see Lücke, A. 154 (1999) 339
Schwarcz, H.P., see Churcher, C.S. 154 (1999) 301

Tanaka, T., see Kim, K.H. 154 (1999) 219
Thomsen, E., see Håkansson, E. 154 (1999) 67
Twitchett, R.J., Palaeoenvironments and faunal recovery after the end-Permian mass extinction 154 (1999) 27

Xiao, J. and Z. An, Three large shifts in East Asian monsoon circulation indicated by loess–paleosol sequences in China and late Cenozoic deposits in Japan 154 (1999) 179

Youn, J.S., see Kim, K.H. 154 (1999) 219
Yun, M.Y., see Kim, K.H. 154 (1999) 219

Zhang, F., see Lu, H. 154 (1999) 237